

1200X2400mm
TALL & TERRIFIC

800X2400mm
SLIM &
BEAUTIFUL



800X1600mm
BIG & BOLD

1200X1200mm
DURABLE &
ADORABLE




800x2400mm



Marble collections

Nobody is immune to the love of marble. Real marble possesses alluring surface beauty, however, when it comes to core strength, real marble can disappoint you. Also, the urging scarcity of natural materials has made it difficult for us to secure authentic marble in its organic form. Nevertheless, Marble+ is here to fill the void for good. It is a perfect blend of the natural aesthetics and contemporary charm. It has tempting surface beauty that imitates natural marble to the fullest. Besides, it is made using prime quality raw materials which provides a dense body to the marble, in turn making the tile robust and resilient. They are all space-savvy and can enhance the overall aura of any leeway.

800x2400mm



800x2400mm




Italian Technology

Italian technology delivers effective, time-saving engineering solutions. It gives the tile an extra edge over the others. Hi-tech innovations can be brought to life with the said technology. It allows us to produce tiles of various sizes with photographic quality. It also allows placement of innovative effects and semi-transparent colors and diffusion. Not only that, it also makes the production less time consuming, allowing us to address long production line. It is basically, a win-win situation to have them on board.



800x2400mm



Flexible body

Flexible body tiles are made of soft clay material that gives it a natural texture and color. The range of flexible body tiles includes travertine, slate, granite, marble, sandstone, rising rock, mushroom stone, tianshan rock, culture stone, etc. Motto ensures that its tiles are produced using the best raw materials, which adds to the tile's appearance and life. These modern tiles are lightweight and soft, when compared to conventional tiles. And as the name suggests they are flexible, which makes them anti-bending and crack free. Motto's flexible body tiles are ideal for both interior and exterior applications.

800x2400mm




HIGH GLOSS


Natural Surfaces


Glare Free Polish


Gleaming Effect


Soft To Touch

HIGH GLOSS and COLOR BODY

ARMANI BROWN (colorbody)	14
ARMANI BROWN (colorbody) A-B BOOKMATCH	14
BOTTICINO	15
BLACK MARQUINA	15
BRESCIA AURORA	15
GREY MARFIL	16
GREY OPERA	16
MARFIL BEIGE	16
ONYX A-B BOOKMATCH	17
ONYX	17
ONYX BEIGE A-B BOOKMATCH	20
ONYX BEIGE	20
ONYX GREY A-B BOOKMATCH	21
ONYX GREY	21
SCREPOLATO BROWN	22
PORTORO BLACK (colorbody)	22
SCREPOLATO NERO	22
STATUARIO	23

800x2400mm | ARMANI BROWN A-B | HIGH GLOSS



Flexible Body



Italian Technology



Natural Surfaces



Glare Free Polish



Gleaming Effect



Soft To Touch





ARMANI BROWN
(High gloss & Colorbody)



ARMANI BROWN A-B
(High gloss & Colorbody)



BOOKMATCH

800X2400MM | HIGH GLOSS | WALL - FLOOR



Flexible Body



Italian Technology



Natural Surfaces



Glare Free Polish



Gleaming Effect



Soft To Touch



BOTTICINO



BLACK MARQUINA



BRESCIA AURORA

800X2400MM | HIGH GLOSS | WALL - FLOOR



Flexible Body



Italian Technology



Natural Surfaces



Glare Free Polish



Gleaming Effect



Soft To Touch



GREY MARFIL



GREY OPERA



MARFIL BEIGE

800X2400MM | HIGH GLOSS | WALL - FLOOR



Flexible Body



Italian Technology



Natural Surfaces



Glare Free Polish



Gleaming Effect



Soft To Touch



ONYX A-B



BOOKMATCH



ONYX

800X2400MM | HIGH GLOSS | WALL - FLOOR



Flexible Body



Italian Technology



Natural Surfaces



Glare Free Polish



Gleaming Effect



Soft To Touch

800x2400mm | ONYX GREY A-B | HIGH GLOSS



Flexible Body



Italian Technology



Natural Surfaces



Glare Free Polish



Gleaming Effect




Soft To Touch





ONYX BEIGE A-B

BOOKMATCH



ONYX BEIGE

800X2400MM | HIGH GLOSS | WALL - FLOOR



Flexible Body



Italian Technology



Natural Surfaces



Glare Free Polish



Gleaming Effect



Soft To Touch



ONYX GREY A-B

BOOKMATCH



ONYX GREY

800X2400MM | HIGH GLOSS | WALL - FLOOR



Flexible Body



Italian Technology



Natural Surfaces



Glare Free Polish




Gleaming Effect



Soft To Touch




SCREPOLATO BROWN




PORTORO BLACK
(High gloss & Colorbody)



SCREPOLATO NERO



STATUARIO



800X2400MM | HIGH GLOSS | WALL - FLOOR



Flexible Body



Italian Technology



Natural Surfaces



Glare Free Polish



Gleaming Effect



Soft To Touch



Flexible Body



Italian Technology



Natural Surfaces



Glare Free Polish




Gleaming Effect



Soft To Touch

800x2400mm

Kerinox
Mettalic
Rustic Matt


Natural Surfaces


Glare Free Polish


Gleaming Effect


Soft To Touch

KERINOX

KERINOX BROWN 26

KERINOX GREY 26

METTALIC

IRON AQUA 29

IRON ASH 29

IRON BLUE 29

KERINOX BROWN 30

RUSTIC MATT

MONOLITH BIANCO 31

MONOLITH GRIS 31

MONOLITH IRON 31

MONOLITH TAUPE 32



Flexible Body



Italian Technology



Natural Surfaces



Glare Free Polish



Gleaming Effect



Soft To Touch





KERINOX BROWN



KERINOX GREY

800x2400mm | KERINOX | WALL - FLOOR



Flexible Body



Italian Technology



Natural Surfaces




Glare Free Polish



Gleaming Effect



Soft To Touch



IRON AQUA



IRON ASH



IRON BLUE

800x2400mm | METTALIC | WALL - FLOOR



Flexible Body



Italian Technology



Natural Surfaces



Glare Free Polish



Gleaming Effect



Soft To Touch



IRON CHOCO

800x2400mm | METTALIC | WALL - FLOOR



Flexible Body



Italian Technology



Natural Surfaces




Glare Free Polish



Gleaming Effect



Soft To Touch



MONOLITH BIANCO

MONOLITH GRIS

MONOLITH IRON

800x2400mm | RUSTIC MATT | WALL - FLOOR



Flexible Body



Italian Technology



Natural Surfaces



Glare Free Polish



Gleaming Effect



Soft To Touch



MONOLITH TAUPE

800x2400mm | RUSTIC MATT | WALL - FLOOR



Flexible Body



Italian Technology



Natural Surfaces



Glare Free Polish



Gleaming Effect



Soft To Touch

TECHNICAL SPECIFICATIONS

CHARACTERISTICS	STANDARD AS PER ISO-13006/ En14411 GROUP	VALUES	TEST METHOD
Regulatory Properties			
Deviation in Length & Width	±0.5%	±0.2%	ISO - 10545-2
Deviation in Thickness	±0.5%	±0.5%	ISO - 10545-2
Straightness of Sides	±0.5%	±0.2%	ISO - 10545-2
Rectangularity	±0.5%	±0.2%	ISO - 10545-2
Surface Flatness	±0.5%	±0.2%	ISO - 10545-2
Colour Difference	Unaltered	No Change	ISO - 10545-16
Glossiness	As per Mfg.	>90%	Glossmeter
Structural Properties			
Water Absorption	≤0.05	≤0.05	ISO - 10545-3
Apparent Density	>2.00 g/cc	>2.10 g/cc	DIN 51082
Massive Mechanical Properties			
Modulus of Repture	Min 35N/mm ²	Min 40N/mm ²	ISO - 10545-4
Breaking Strength	Min. 1300 N	Min. 2000 N	ISO - 10545-4
Impact Resistance	As per Mfg.	Min. 0.55	ISO - 10545-5
Surface Mechanical Properties			
Surface Abrasion Resistance	As per Mfg.	Min. class 3	ISO - 10545-7
Moh's Hardness	As per Mfg.	Min. class 4	EN 101
Thermo Hygrometric Properties			
Frost Resistance	No Damage	No Damage	ISO - 10545-12
Thermal Shock Resistance	No Damage	No Damage	ISO - 10545-09
Moisture Expansion	Nil	Nil	ISO - 10545-10
Thermal Expansion	Max. 9.0 x 10 ⁻⁶	Max. 6.5 x 10 ⁻⁶	ISO - 10545-08
Crazing Resistance	As per Mfg.	Min. 10 Cycle	ISO - 10545-11
Chemical Properties			
Chemical Resistance	No Damage	No Damage	ISO - 10545-13
Stain Resistance	Resistant	Resistant	ISO - 10545-14
Safety Properties			
Slip Resistance	As per Mfg.	>0.40	ISO - 10545-17
Fire Resistance	As per Mfg.	Fire Proof	N.A.

Packing Details

Dimension (mm)	Slab	Square Feet	Weight (Approx)
800 x 2400mm	2	41.33	74.5 Kgs